

# Select NFRC Rating Comparisons



## Classic Line

	E366 with Argon		E366/i89 with Argon	
	U-value	SHGC	U-value	SHGC
<b>SLIDING DOOR SYSTEMS</b>				
Series 600 Multi-Slide Door	.38	.23	.33	.22
Series 600 Sliding Glass Door	.38	.23	.34	.22
Series 2600 Multi-Slide Wood Door	.35	.19	.32	.19
<b>FOLDING DOOR SYSTEMS</b>				
Series 9500 Bi-Fold Door (Head Load)	.52	.20	.48	.20
Series 9500 Bi-Fold Door (Bottom Load)	.50	.20	.46	.20
<b>HINGED AND PIVOT DOORS</b>				
Series 900 Hinged Door	.59	.18	.57	.18
Series 980 Pivot Door	.68	.19	.65	.18
<b>WINDOWS</b>				
Series 600 Window Wall	.35	.24	.30	.24
Series 670 Casement Window	.48	.19	.44	.18
Series 670 Awning Window	.49	.19	.46	.18
Series 670 Hopper Window	.47	.19	.45	.18
Series 670 Fixed Window	.47	.19	.45	.18
Series 610 Single-Hung Window	.49	.21	.45	.20
Series 620 Sliding Window	.45	.21	.41	.21

## Performance Line

	E366 with Argon		E366/i89 with Argon	
	U-value	SHGC	U-value	SHGC
<b>SLIDING DOOR SYSTEMS</b>				
Series 7600 Multi-Slide Door	.30	.22	.26	.21
Series 7650 Sliding Glass Door	.30	.22	.28	.21
N/A				
<b>FOLDING DOOR SYSTEMS</b>				
Series 7950 Bi-Fold Door (Head Load)	.30	.20	.27	.19
N/A				
<b>HINGED AND PIVOT DOORS</b>				
Series 7900 Hinged Door	.31	.17	.28	.17
Series 7980 Pivot Door	.30	.17	.27	.17
<b>WINDOWS</b>				
Series 7630 Window Wall	.29	.24	.26	.24
Series 7670 Casement Window	.35	.19	.32	.19
Series 7660 Awning Window	.36	.19	.33	.19
Series 7680 Hopper Window	.36	.19	.34	.18
Series 7675 Fixed Window	.28	.23	.25	.23
Series 7610 Single-Hung Window	.35	.23	.31	.20
Series 7620 Sliding Window	.35	.21	.31	.21

The ratings listed above are applicable only to the product specifications and configurations tested and are not an exhaustive list of all product ratings available. For more information regarding testing protocols or other available ratings, please contact a WWS sales representative.

NFRC ratings were derived in accordance with NFRC 100 (U-factor) and NFRC 200 (SHGC). All values are based on a 1" OA with dual-pane 6mm glass and common product options.